

2018年 PRIMESTAR 補助対象型番リスト

LED照明器具

■ ベースライト型LED照明			
Catalog No.	型番	Catalog No.	型番
1	Reach-BL-LB-016 5000K+Reach-BL-W80C	2	Reach-BL-LB-016 3000K+Reach-BL-W80C
3	Reach-BL-LB-016 5000K+Reach-BL-W150KC	4	Reach-BL-LB-016 3000K+Reach-BL-W150KC
5	Reach-BL-LB-016 5000K+Reach-BL-W150	6	Reach-BL-LB-016 3000K+Reach-BL-W150
7	Reach-BL-LB-016 5000K+Reach-BL-W230	8	Reach-BL-LB-016 3000K+Reach-BL-W230
9	Reach-BL-LB-016 5000K+Reach-BL-W150U	10	Reach-BL-LB-016 3000K+Reach-BL-W150U
11	Reach-BL-LB-016 5000K+Reach-BL-W220U	12	Reach-BL-LB-016 3000K+Reach-BL-W220U
13	Reach-BL-LB-016 5000K+Reach-BL-W300U	14	Reach-BL-LB-016 3000K+Reach-BL-W300U
15	Reach-BL-LB-028 5000K+Reach-BL-W80C	16	Reach-BL-LB-028 3000K+Reach-BL-W80C
17	Reach-BL-LB-028 5000K+Reach-BL-W150KC	18	Reach-BL-LB-028 3000K+Reach-BL-W150KC
19	Reach-BL-LB-028 5000K+Reach-BL-W150	20	Reach-BL-LB-028 3000K+Reach-BL-W150
21	Reach-BL-LB-028 5000K+Reach-BL-W230	22	Reach-BL-LB-028 3000K+Reach-BL-W230
23	Reach-BL-LB-028 5000K+Reach-BL-W150U	24	Reach-BL-LB-028 3000K+Reach-BL-W150U
25	Reach-BL-LB-028 5000K+Reach-BL-W220U	26	Reach-BL-LB-028 3000K+Reach-BL-W220U
27	Reach-BL-LB-028 5000K+Reach-BL-W300U	28	Reach-BL-LB-028 3000K+Reach-BL-W300U
29	Reach-BL-LB-037 5000K+Reach-BL-W80C	30	Reach-BL-LB-037 3000K+Reach-BL-W80C
31	Reach-BL-LB-037 5000K+Reach-BL-W150KC	32	Reach-BL-LB-037 3000K+Reach-BL-W150KC
33	Reach-BL-LB-037 5000K+Reach-BL-W150	34	Reach-BL-LB-037 3000K+Reach-BL-W150
35	Reach-BL-LB-037 5000K+Reach-BL-W230	36	Reach-BL-LB-037 3000K+Reach-BL-W230
37	Reach-BL-LB-037 5000K+Reach-BL-W150U	38	Reach-BL-LB-037 3000K+Reach-BL-W150U
39	Reach-BL-LB-037 5000K+Reach-BL-W220U	40	Reach-BL-LB-037 3000K+Reach-BL-W220U
41	Reach-BL-LB-037 5000K+Reach-BL-W300U	42	Reach-BL-LB-037 3000K+Reach-BL-W300U
43	Reach-BL-LB-037-DALI 5000K+Reach-BL-W80C	44	Reach-BL-LB-037-DALI 3000K+Reach-BL-W80C
45	Reach-BL-LB-037-DALI 5000K+Reach-BL-W150KC	46	Reach-BL-LB-037-DALI 3000K+Reach-BL-W150KC
47	Reach-BL-LB-037-DALI 5000K+Reach-BL-W150	48	Reach-BL-LB-037-DALI 3000K+Reach-BL-W150
49	Reach-BL-LB-037-DALI 5000K+Reach-BL-W230	50	Reach-BL-LB-037-DALI 3000K+Reach-BL-W230
51	Reach-BL-LB-037-DALI 5000K+Reach-BL-W150U	52	Reach-BL-LB-037-DALI 3000K+Reach-BL-W150U
53	Reach-BL-LB-037-DALI 5000K+Reach-BL-W220U	54	Reach-BL-LB-037-DALI 3000K+Reach-BL-W220U
55	Reach-BL-LB-037-DALI 5000K+Reach-BL-W300U	56	Reach-BL-LB-037-DALI 3000K+Reach-BL-W300U
57	Reach-BL-LB-037 D 5000K+Reach-BL-W80C	58	Reach-BL-LB-037 D 3000K+Reach-BL-W80C
59	Reach-BL-LB-037 D 5000K+Reach-BL-W150KC	60	Reach-BL-LB-037 D 3000K+Reach-BL-W150KC
61	Reach-BL-LB-037 D 5000K+Reach-BL-W150	62	Reach-BL-LB-037 D 3000K+Reach-BL-W150
63	Reach-BL-LB-037 D 5000K+Reach-BL-W230	64	Reach-BL-LB-037 D 3000K+Reach-BL-W230
65	Reach-BL-LB-037 D 5000K+Reach-BL-W150U	66	Reach-BL-LB-037 D 3000K+Reach-BL-W150U
67	Reach-BL-LB-037 D 5000K+Reach-BL-W220U	68	Reach-BL-LB-037 D 3000K+Reach-BL-W220U
69	Reach-BL-LB-037 D 5000K+Reach-BL-W300U	70	Reach-BL-LB-037 D 3000K+Reach-BL-W300U
71	Reach-BL-LB-047 5000K+Reach-BL-W80C	72	Reach-BL-LB-047 3000K+Reach-BL-W80C

73	Reach-BL-LB-047 5000K+Reach-BL-W150KC	74	Reach-BL-LB-047 3000K+Reach-BL-W150KC
75	Reach-BL-LB-047 5000K+Reach-BL-W150	76	Reach-BL-LB-047 3000K+Reach-BL-W150
77	Reach-BL-LB-047 5000K+Reach-BL-W230	78	Reach-BL-LB-047 3000K+Reach-BL-W230
79	Reach-BL-LB-047 5000K+Reach-BL-W150U	80	Reach-BL-LB-047 3000K+Reach-BL-W150U
81	Reach-BL-LB-047 5000K+Reach-BL-W220U	82	Reach-BL-LB-047 3000K+Reach-BL-W220U
83	Reach-BL-LB-047 5000K+Reach-BL-W300U	84	Reach-BL-LB-047 3000K+Reach-BL-W300U
85	Reach-Wave-40 5000K	86	Reach-Wave-40 4000K
87	Reach-Wave-40 3500K	88	Reach-Wave-40 3000K
89	Reach-Wave-40-DALI 5000K	90	Reach-Wave-40 D 5000K
91	PR-TypeB-011 5000K	92	PR-TypeB-023 5000K
93	PR-TypeB-010 5000K	94	PR-TypeB-020 5000K
95	PR-600C1+Reach-8 5000K ■	96	PR-600C1+Reach-8 3000K ■
97	PR-600C2+Reach-8 5000K ■	98	PR-600C2+Reach-8 3000K ■
99	PR-1200C1+Reach-7-P 5000K ■	100	PR-1200C1+Reach-7-P 4000K ■
101	PR-1200C1+Terra-13A 5000K ■	102	PR-1200C1+Reach-12 5000K ■
103	PR-1200C1+Reach-12 4000K ■	104	PR-1200C1+Reach-12 3500K ■
105	PR-1200C1+Reach-12 3000K ■	106	PR-1200C1+Reach-13A D 5000K ■
107	PR-1200C1+Reach-15-DALI 5000K ■	108	PR-1200C1+Reach-12A 5700K ■
109	PR-1200C1+Reach-12A 5000K ■	110	PR-1200C1+Reach-12A 4000K ■
111	PR-1200C1+Reach-12A 3500K ■	112	PR-1200C1+Reach-12A 3000K ■
113	PR-1200C1+Reach-18-Ra97 5000K ■	114	PR-1200C1+Reach-24 5000K ■
115	PR-1200C1+Reach-24 3000K ■	116	PR-1200C1+March-15 5000K ■
117	PR-1200C2+Reach-7-P 5000K ■	118	PR-1200C2+Reach-7-P 4000K ■
119	PR-1200C2+Terra-13A 5000K ■	120	PR-1200C2+Reach-12 5000K ■
121	PR-1200C2+Reach-12 4000K ■	122	PR-1200C2+Reach-12 3500K ■
123	PR-1200C2+Reach-12 3000K ■	124	PR-1200C2+Reach-13A D 5000K ■
125	PR-1200C2+Reach-15-DALI 5000K ■	126	PR-1200C2+Reach-12A 5700K ■
127	PR-1200C2+Reach-12A 5000K ■	128	PR-1200C2+Reach-12A 4000K ■
129	PR-1200C2+Reach-12A 3500K ■	130	PR-1200C2+Reach-12A 3000K ■
131	PR-1200C2+Reach-18-Ra97 5000K ■	132	PR-1200C2+Reach-24 5000K ■
133	PR-1200C2+Reach-24 3000K ■	134	PR-1200C2+March-15 5000K ■
135	PR-2400C1+Reach-35 5000K ■	136	PR-2400C1+Reach-35 3000K ■
139	PR-600V1+Reach-8 5000K ■	140	PR-600V1+Reach-8 3000K ■
141	PR-600V2+Reach-8 5000K ■	142	PR-600V2+Reach-8 3000K ■
143	PR-1200V1+Reach-7-P 5000K ■	144	PR-1200V1+Reach-7-P 4000K ■
145	PR-1200V1+Terra-13A 5000K ■	146	PR-1200V1+Reach-12 5000K ■
147	PR-1200V1+Reach-12 4000K ■	148	PR-1200V1+Reach-12 3500K ■
149	PR-1200V1+Reach-12 3000K ■	150	PR-1200V1+Reach-13A D 5000K ■
151	PR-1200V1+Reach-15-DALI 5000K ■	152	PR-1200V1+Reach-12A 5700K ■
153	PR-1200V1+Reach-12A 5000K ■	154	PR-1200V1+Reach-12A 4000K ■

155	PR-1200V1+Reach-12A 3500K ■	156	PR-1200V1+Reach-12A 3000K ■
157	PR-1200V1+Reach-18-Ra97 5000K ■	158	PR-1200V1+Reach-24 5000K ■
159	PR-1200V1+Reach-24 3000K ■	160	PR-1200V1+March-15 5000K ■
161	PR-1200V2+Reach-7-P 5000K ■	162	PR-1200V2+Reach-7-P 4000K ■
163	PR-1200V2+Terra-13A 5000K ■	164	PR-1200V2+Reach-12 5000K ■
165	PR-1200V2+Reach-12 4000K ■	166	PR-1200V2+Reach-12 3500K ■
167	PR-1200V2+Reach-12 3000K ■	168	PR-1200V2+Reach-13A D 5000K ■
169	PR-1200V2+Reach-15-DALI 5000K ■	170	PR-1200V2+Reach-12A 5700K ■
171	PR-1200V2+Reach-12A 5000K ■	172	PR-1200V2+Reach-12A 4000K ■
173	PR-1200V2+Reach-12A 3500K ■	174	PR-1200V2+Reach-12A 3000K ■
175	PR-1200V2+Reach-18-Ra97 5000K ■	176	PR-1200V2+Reach-24 5000K ■
177	PR-1200V2+Reach-24 3000K ■	178	PR-1200V2+March-15 5000K ■
179	PR-2400V1+Reach-35 5000K ■	180	PR-2400V1+Reach-35 3000K ■
183	PR-600U1+Reach-8 5000K ■	184	PR-600U1+Reach-8 3000K ■
185	PR-600U2+Reach-8 5000K ■	186	PR-600U2+Reach-8 3000K ■
187	PR-1200U2+Reach-7-P 5000K ■	188	PR-1200U2+Reach-7-P 4000K ■
189	PR-1200U2+Terra-13A 5000K ■	190	PR-1200U2+Reach-12 5000K ■
191	PR-1200U2+Reach-12 4000K ■	192	PR-1200U2+Reach-12 3500K ■
193	PR-1200U2+Reach-12 3000K ■	194	PR-1200U2+Reach-13A D 5000K ■
195	PR-1200U2+Reach-15-DALI 5000K ■	196	PR-1200U2+Reach-12A 5700K ■
197	PR-1200U2+Reach-12A 5000K ■	198	PR-1200U2+Reach-12A 4000K ■
199	PR-1200U2+Reach-12A 3500K ■	200	PR-1200U2+Reach-12A 3000K ■
201	PR-1200U2+Reach-18-Ra97 5000K ■	202	PR-1200U2+Reach-24 5000K ■
203	PR-1200U2+Reach-24 3000K ■	204	PR-1200U2+March-15 5000K ■
205	PR-1200KC1+Reach-7-P 5000K ■	206	PR-1200KC1+Reach-7-P 4000K ■
206	PR-1200KC1+Reach-7-P 4000K ■	207	PR-1200KC1+Terra-13A 5000K ■
207	PR-1200KC1+Terra-13A 5000K ■	208	PR-1200KC1+Reach-12 5000K ■
208	PR-1200KC1+Reach-12 5000K ■	209	PR-1200KC1+Reach-12 4000K ■
209	PR-1200KC1+Reach-12 4000K ■	210	PR-1200KC1+Reach-12 3500K ■
210	PR-1200KC1+Reach-12 3500K ■	211	PR-1200KC1+Reach-12 3000K ■
211	PR-1200KC1+Reach-12 3000K ■	212	PR-1200KC1+Reach-13A D 5000K ■
212	PR-1200KC1+Reach-13A D 5000K ■	213	PR-1200KC1+Reach-15-DALI 5000K ■
213	PR-1200KC1+Reach-15-DALI 5000K ■	214	PR-1200KC1+Reach-12A 5700K ■
214	PR-1200KC1+Reach-12A 5700K ■	215	PR-1200KC1+Reach-12A 5000K ■
215	PR-1200KC1+Reach-12A 5000K ■	216	PR-1200KC1+Reach-12A 4000K ■
216	PR-1200KC1+Reach-12A 4000K ■	217	PR-1200KC1+Reach-12A 3500K ■
217	PR-1200KC1+Reach-12A 3500K ■	218	PR-1200KC1+Reach-12A 3000K ■
218	PR-1200KC1+Reach-12A 3000K ■	219	PR-1200KC1+Reach-18-Ra97 5000K ■
219	PR-1200KC1+Reach-18-Ra97 5000K ■	220	PR-1200KC1+Reach-24 5000K ■
220	PR-1200KC1+Reach-24 5000K ■	221	PR-1200KC1+Reach-24 3000K ■

221	PR-1200KC1+Reach-24 3000K ■	222	PR-1200KC1+March-15 5000K ■
222	PR-1200KC1+March-15 5000K ■	223	PR-1200KC2+Reach-7-P 5000K ■
223	PR-1200KC2+Reach-7-P 5000K ■	224	PR-1200KC2+Reach-7-P 4000K ■
224	PR-1200KC2+Reach-7-P 4000K ■	225	PR-1200KC2+Terra-13A 5000K ■
225	PR-1200KC2+Terra-13A 5000K ■	226	PR-1200KC2+Reach-12 5000K ■
226	PR-1200KC2+Reach-12 5000K ■	227	PR-1200KC2+Reach-12 4000K ■
227	PR-1200KC2+Reach-12 4000K ■	228	PR-1200KC2+Reach-12 3500K ■
228	PR-1200KC2+Reach-12 3500K ■	229	PR-1200KC2+Reach-12 3000K ■
229	PR-1200KC2+Reach-12 3000K ■	230	PR-1200KC2+Reach-13A D 5000K ■
230	PR-1200KC2+Reach-13A D 5000K ■	231	PR-1200KC2+Reach-15-DALI 5000K ■
231	PR-1200KC2+Reach-15-DALI 5000K ■	232	PR-1200KC2+Reach-12A 5700K ■
232	PR-1200KC2+Reach-12A 5700K ■	233	PR-1200KC2+Reach-12A 5000K ■
233	PR-1200KC2+Reach-12A 5000K ■	234	PR-1200KC2+Reach-12A 4000K ■
234	PR-1200KC2+Reach-12A 4000K ■	235	PR-1200KC2+Reach-12A 3500K ■
235	PR-1200KC2+Reach-12A 3500K ■	236	PR-1200KC2+Reach-12A 3000K ■
236	PR-1200KC2+Reach-12A 3000K ■	237	PR-1200KC2+Reach-18-Ra97 5000K ■
237	PR-1200KC2+Reach-18-Ra97 5000K ■	238	PR-1200KC2+Reach-24 5000K ■
238	PR-1200KC2+Reach-24 5000K ■	239	PR-1200KC2+Reach-24 3000K ■
239	PR-1200KC2+Reach-24 3000K ■	240	PR-1200KC2+March-15 5000K ■
240	PR-1200KC2+March-15 5000K ■	241	PR-600KC1+Reach-8 5000K ■
241	PR-600KC1+Reach-8 5000K ■	242	PR-600KC1+Reach-8 3000K ■
242	PR-600KC1+Reach-8 3000K ■	243	PR-600KC2+Reach-8 5000K ■
243	PR-600KC2+Reach-8 5000K ■	244	PR-600KC2+Reach-8 3000K ■
244	PR-600KC2+Reach-8 3000K ■	245	PR-1200KCC1+Reach-7-P 5000K ■
245	PR-1200KCC1+Reach-7-P 5000K ■	246	PR-1200KCC1+Reach-7-P 4000K ■
246	PR-1200KCC1+Reach-7-P 4000K ■	247	PR-1200KCC1+Terra-13A 5000K ■
247	PR-1200KCC1+Terra-13A 5000K ■	248	PR-1200KCC1+Reach-12 5000K ■
248	PR-1200KCC1+Reach-12 5000K ■	249	PR-1200KCC1+Reach-12 4000K ■
249	PR-1200KCC1+Reach-12 4000K ■	250	PR-1200KCC1+Reach-12 3500K ■
250	PR-1200KCC1+Reach-12 3500K ■	251	PR-1200KCC1+Reach-12 3000K ■
251	PR-1200KCC1+Reach-12 3000K ■	252	PR-1200KCC1+Reach-13A D 5000K ■
252	PR-1200KCC1+Reach-13A D 5000K ■	253	PR-1200KCC1+Reach-15-DALI 5000K ■
253	PR-1200KCC1+Reach-15-DALI 5000K ■	254	PR-1200KCC1+Reach-12A 5700K ■
254	PR-1200KCC1+Reach-12A 5700K ■	255	PR-1200KCC1+Reach-12A 5000K ■
255	PR-1200KCC1+Reach-12A 5000K ■	256	PR-1200KCC1+Reach-12A 4000K ■
256	PR-1200KCC1+Reach-12A 4000K ■	257	PR-1200KCC1+Reach-12A 3500K ■
257	PR-1200KCC1+Reach-12A 3500K ■	258	PR-1200KCC1+Reach-12A 3000K ■
258	PR-1200KCC1+Reach-12A 3000K ■	259	PR-1200KCC1+Reach-18-Ra97 5000K ■
259	PR-1200KCC1+Reach-18-Ra97 5000K ■	260	PR-1200KCC1+Reach-24 5000K ■
260	PR-1200KCC1+Reach-24 5000K ■	261	PR-1200KCC1+Reach-24 3000K ■

261	PR-1200KKC1+Reach-24 3000K ■	262	PR-1200KKC1+March-15 5000K ■
262	PR-1200KKC1+March-15 5000K ■	263	PR-600KKC1+Reach-8 5000K
263	PR-600KKC1+Reach-8 5000K	264	PR-600KKC1+Reach-8 3000K
264	PR-600KKC1+Reach-8 3000K	265	Reach-BL-HAC+Reach-BL-LB-016 5000K
265	Reach-BL-HAC+Reach-BL-LB-016 5000K	266	Reach-BL-HAC+Reach-BL-LB-016 3000K
266	Reach-BL-HAC+Reach-BL-LB-016 3000K	267	Reach-BL-HAC+Reach-BL-LB-028 5000K
267	Reach-BL-HAC+Reach-BL-LB-028 5000K	268	Reach-BL-HAC+Reach-BL-LB-028 3000K
268	Reach-BL-HAC+Reach-BL-LB-028 3000K	269	Reach-BL-HAC+Reach-BL-LB-037 5000K
269	Reach-BL-HAC+Reach-BL-LB-037 5000K	270	Reach-BL-HAC+Reach-BL-LB-037 3000K
270	Reach-BL-HAC+Reach-BL-LB-037 3000K	271	Reach-BL-HAC+Reach-BL-LB-047 5000K
271	Reach-BL-HAC+Reach-BL-LB-047 5000K	272	Reach-BL-HAC+Reach-BL-LB-047 3000K
272	Reach-BL-HAC+Reach-BL-LB-047 3000K	273	Basic-BL-LB-035 5000K+Basic-BL-W70C
273	Basic-BL-LB-035 5000K+Basic-BL-W70C	274	Basic-BL-LB-035 5000K+Basic-BL-W160
274	Basic-BL-LB-035 5000K+Basic-BL-W160	275	Basic-BL-LB-035 5000K+Basic-BL-W230
275	Basic-BL-LB-035 5000K+Basic-BL-W230	276	Basic-BL-LB-043 5000K+Basic-BL-W70C
276	Basic-BL-LB-043 5000K+Basic-BL-W70C	277	Basic-BL-LB-043 5000K+Basic-BL-W160
277	Basic-BL-LB-043 5000K+Basic-BL-W160	278	Basic-BL-LB-043 5000K+Basic-BL-W230
278	Basic-BL-LB-043 5000K+Basic-BL-W230	279	Basic-BL-LB-022 5000K+Basic-BL-W70C
279	Basic-BL-LB-022 5000K+Basic-BL-W70C	280	Basic-BL-LB-022 5000K+Basic-BL-W160
280	Basic-BL-LB-022 5000K+Basic-BL-W160	281	Basic-BL-LB-022 5000K+Basic-BL-W230
281	Basic-BL-LB-022 5000K+Basic-BL-W230	282	PR-600C1+Basic-8 5000K ■
282	PR-600C1+Basic-8 5000K ■	283	PR-600C2+Basic-8 5000K ■
283	PR-600C2+Basic-8 5000K ■	284	PR-600V1+Basic-8 5000K ■
284	PR-600V1+Basic-8 5000K ■	285	PR-600V2+Basic-8 5000K ■
285	PR-600V2+Basic-8 5000K ■	286	PR-600U1+Basic-8 5000K ■
286	PR-600U1+Basic-8 5000K ■	287	PR-600U2+Basic-8 5000K ■
287	PR-600U2+Basic-8 5000K ■	288	PR-600KC1+Basic-8 5000K ■
288	PR-600KC1+Basic-8 5000K ■	289	PR-600KC2+Basic-8 5000K ■
290	PR-600KKC1+Basic-8 5000K ■	291	PR-1200C1+Basic-14 5000K ■
292	PR-1200C2+Basic-14 5000K ■	293	PR-1200V1+Basic-14 5000K ■
294	PR-1200V2+Basic-14 5000K ■	295	PR-1200U2+Basic-14 5000K ■
296	PR-1200KC1+Basic-14 5000K ■	297	PR-1200KC2+Basic-14 5000K ■
298	PR-1200KKC1+Basic-14 5000K ■	299	PR-1200C1+Basic-16 5000K ■
300	PR-1200C2+Basic-16 5000K ■	301	PR-1200V1+Basic-16 5000K ■
302	PR-1200V2+Basic-16 5000K ■	303	PR-1200U2+Basic-16 5000K ■
304	PR-1200KC1+Basic-16 5000K ■	305	PR-1200KC2+Basic-16 5000K ■
306	PR-1200KKC1+Basic-16 5000K ■	307	Basic-BL-LB-035 3000K+Basic-BL-W70C
308	Basic-BL-LB-035 3000K+Basic-BL-W160	309	Basic-BL-LB-035 3000K+Basic-BL-W230
310	Basic-BL-LB-043 3000K+Basic-BL-W70C	311	Basic-BL-LB-043 3000K+Basic-BL-W160
312	Basic-BL-LB-043 3000K+Basic-BL-W230	313	Basic-BL-LB-022 3000K+Basic-BL-W70C

314	Basic-BL-LB-022 3000K+Basic-BL-W160	315	Basic-BL-LB-022 3000K+Basic-BL-W230
315	Basic-BL-LB-022 3000K+Basic-BL-W230	316	PR-600C1+Basic-8 3000K ■
316	PR-600C1+Basic-8 3000K ■	317	PR-600C2+Basic-8 3000K ■
317	PR-600C2+Basic-8 3000K ■	318	PR-600V1+Basic-8 3000K ■
318	PR-600V1+Basic-8 3000K ■	319	PR-600V2+Basic-8 3000K ■
319	PR-600V2+Basic-8 3000K ■	320	PR-600U1+Basic-8 3000K ■
320	PR-600U1+Basic-8 3000K ■	321	PR-600U2+Basic-8 3000K ■
321	PR-600U2+Basic-8 3000K ■	322	PR-600KC1+Basic-8 3000K ■
322	PR-600KC1+Basic-8 3000K ■	323	PR-600KC2+Basic-8 3000K ■
323	PR-600KC2+Basic-8 3000K ■	324	PR-600KCC1+Basic-8 3000K ■
324	PR-600KCC1+Basic-8 3000K ■	325	PR-1200C1+Basic-14 3000K ■
325	PR-1200C1+Basic-14 3000K ■	326	PR-1200C2+Basic-14 3000K ■
327	PR-1200V1+Basic-14 3000K ■	328	PR-1200V2+Basic-14 3000K ■
329	PR-1200U2+Basic-14 3000K ■	330	PR-1200KC1+Basic-14 3000K ■
331	PR-1200KC2+Basic-14 3000K ■	332	PR-1200KCC1+Basic-14 3000K ■
333	PR-1200C1+Basic-16 3000K ■	334	PR-1200C2+Basic-16 3000K ■
335	PR-1200V1+Basic-16 3000K ■	336	PR-1200V2+Basic-16 3000K ■
337	PR-1200U2+Basic-16 3000K ■	338	PR-1200KC1+Basic-16 3000K ■
339	PR-1200KC2+Basic-16 3000K ■	340	PR-1200KCC1+Basic-16 3000K ■

■ コンパクト蛍光灯型LED照明

Catalog No.	型番	Catalog No.	型番
341	Reach-FPL-008-024 5000K	342	Reach-FPL-008-024 3000K
343	Reach-FPL-012-041 5000K	344	Reach-FPL-012-041 3000K
345	Reach-FPL-017-056 5000K	346	Reach-FPL-017-056 3000K
347	Reach-FPL-017-056 D 5000K	348	Reach-FPL-017-056 D 3000K
349	PR-FPL-029-086 5000K	350	PR-FPL-029-086 3000K
350	PR-FPL-029-086 3000K	353	LINDA-Tee-10q-9 3000K
354	LINDA-Tee-24q-7 3000K	355	LINDA-Tee-24q-9 3000K
356	LINDA-Tee-24q-13 3000K	357	LINDA-Tee-24q-16 3000K

■ 直管型LED照明

Catalog No.	型番	Catalog No.	型番
392	Reach-8 5000K	393	Reach-8 3000K
394	Reach-9-830 5000K	395	Reach-7-P 5000K
396	Reach-7-P 4000K	397	Terra-13A 5000K
398	Reach-12 5000K	399	Reach-12 4000K
400	Reach-12 3500K	401	Reach-12 3000K
402	Reach-13A D 5000K	403	Reach-15-DALI 5000K
404	Reach-12A 5700K	405	Reach-12A 5000K
406	Reach-12A 4000K	407	Reach-12A 3500K

408	Reach-12A 3000K	409	Reach-18-Ra97 5000K
410	Reach-24 5000K	411	Reach-24 3000K
412	March-15 5000K	413	Reach-35 5000K
413	Reach-35 5000K	414	Reach-35 3000K
414	Reach-35 3000K	415	Reach-7-IP65 5000K
415	Reach-7-IP65 5000K	416	Reach-8-IP65 5000K
416	Reach-8-IP65 5000K	417	Reach-8-588 5000K
417	Reach-8-588 5000K	418	Reach-18A-1178 5000K
418	Reach-18A-1178 5000K	419	Reach-24-1178 5000K
419	Reach-24-1178 5000K	420	Basic-8 5000K
420	Basic-8 5000K	421	Basic-14 5000K
422	Basic-16 5000K	423	Basic-8 3000K
424	Basic-14 3000K	425	Basic-16 3000K

■ LED街路灯／公園灯

Catalog No.	型番	Catalog No.	型番
495	LINDA-CORN-40 5000K	496	LINDA-CORN-75 5000K
498	LINDA-CORN-18 2700K	499	LINDA-CORN-40 2700K
500	LINDA-CORN-75 2700K	501	LINDA-CORN-90 2700K
502	LINDA-AIR-80A 5700K	503	LINDA-AIR-MESH-80A 5700K
505	LINDA-AIR-18 3000K	506	LINDA-AIR-25 3000K
507	LINDA-AIR-80A 3000K	508	LINDA-AIR-MESH-80A 3000K

■ マンション／家庭用／その他

Catalog No.	型番	Catalog No.	型番
560	CIRCLE 8W-5000K	561	CIRCLE 8W-3000K
562	SB-W-3-A	563	SB-W-3-B
564	LH1121K		

LED高天井用器具

■ ベースライト型LED照明

Catalog No.	型番	Catalog No.	型番
137	PR-2400C2+Reach-35 5000K ■	138	PR-2400C2+Reach-35 3000K ■
181	PR-2400V2+Reach-35 5000K ■	182	PR-2400V2+Reach-35 3000K ■

■ 高天井／投光器型LED照明

Catalog No.	型番	Catalog No.	型番
439	PR-DOME-110S 5000K ■	440	PR-DOME-150S 5000K ■
441	PR-DOME-110S 3000K ■	442	PR-DOME-150S 3000K ■
443	PR-DOME-300-C 5000K ■	444	PR-DOME-300-C 3000K ■

453	PR-DOME-EPS-110S 5000K ■	454	PR-DOME-EPS-150S 5000K ■
455	PR-DOME-EPS-110S 3000K ■	456	PR-DOME-EPS-150S 3000K ■
463	PR-DOME-POT-110S 5000K	464	PR-DOME-POT-150S 5000K
465	PR-DOME-POT-110S 3000K	476	PR-DOME-SKY-150S 5000K
477	PR-DOME-SKY-150S 3000K	486	PR-GALAXY-280A 5000K ■
487	PR-GALAXY-280A-DALI 5000K ■	488	PR-GALAXY-560A 5000K ■
489	PR-GALAXY-560A-DALI 5000K ■	490	PR-GALAXY-CIRCLE-280 5000K
491	PR-GALAXY-280A 3000K ■	492	PR-GALAXY-280A-DALI 3000K ■
493	PR-GALAXY-560A 3000K ■	494	PR-GALAXY-560A-DALI 3000K ■

■ LED街路灯／公園灯

Catalog No.	型番	Catalog No.	型番
497	LINDA-CORN-90 5000K	504	LINDA-AIR-MESH-100A 5700K

■ LEDダウンライト

Catalog No.	型番	Catalog No.	型番
360	Reach-D-100-6A D 5000K	361	Reach-D-100-6A D 3000K
362	Reach-D-125-6A 5000K	363	Reach-D-125-6A 3000K
364	Reach-D-125-6A D 5000K	365	Reach-D-125-6A D 3000K
366	Reach-D-150-6A 5000K	367	Reach-D-150-6A 3000K
368	Reach-D-150-6A D 5000K	369	Reach-D-150-6A D 3000K
370	Reach-D-150-8A 5000K	371	Reach-D-150-8A 3000K
372	Reach-D-150-8A D 5000K	373	Reach-D-150-8A D 3000K
374	Reach-D-150-12A 5000K	375	Reach-D-150-12A 3000K
376	Reach-D-150-12A 3500K	377	Reach-D-150-12A D 5000K
378	Reach-D-150-12A D 3000K	379	Reach-D-150-12A D 3500K
380	Reach-D-150-12A-DALI 5000K	381	Reach-D-150-12A-DALI 3000K
382	Reach-D-175-12A 5000K	383	Reach-D-175-12A 3000K
384	Reach-D-175-12A 3500K	385	Reach-D-175-12A D 5000K
386	Reach-D-175-12A D 3000K	387	Reach-D-175-12A D 3500K
388	Reach-D-200-33A 5000K	389	Reach-D-200-33A 3000K
390	Reach-D-200-33A D 5000K	391	Reach-D-200-33A D 3000K

■ LED投光器

高天井／投光器型LED照明			
Catalog No.	型番	Catalog No.	型番
426	PR-DOME-10 3000K ■	427	PR-DOME-20 3000K ■

428	PR-DOME-30 3000K ■	429	PR-DOME-50S 5000K ■
430	PR-DOME-80S 5000K ■	431	PR-DOME-110S 5000K ■
432	PR-DOME-150S 5000K ■	433	PR-DOME-50S 3000K ■
434	PR-DOME-80S 3000K ■	435	PR-DOME-110S 3000K ■
436	PR-DOME-150S 3000K ■	437	PR-DOME-300-C 5000K ■
438	PR-DOME-300-C 3000K ■	445	PR-DOME-EPS-50S 5000K ■
446	PR-DOME-EPS-80S 5000K ■	447	PR-DOME-EPS-110S 5000K ■
448	PR-DOME-EPS-150S 5000K ■	449	PR-DOME-EPS-50S 3000K ■
450	PR-DOME-EPS-80S 3000K ■	451	PR-DOME-EPS-110S 3000K ■
452	PR-DOME-EPS-150S 3000K ■	457	PR-DOME-POT-80S 5000K
458	PR-DOME-POT-110S 5000K	459	PR-DOME-POT-150S 5000K
460	PR-DOME-POT-80S 3000K	461	PR-DOME-POT-110S 3000K
462	PR-DOME-POT-150S 3000K	466	PR-DOME-SKY-50S 5000K
467	PR-DOME-SKY-80S 5000K	468	PR-DOME-SKY-110S 5000K
469	PR-DOME-SKY-150S 5000K	470	PR-DOME-SKY-110S-DALI 5000K
471	PR-DOME-SKY-50S 3000K	472	PR-DOME-SKY-80S 3000K
473	PR-DOME-SKY-110S 3000K	474	PR-DOME-SKY-150S 3000K
475	PR-DOME-SKY-110S-DALI 3000K	478	PR-GALAXY-280A 5000K ■
479	PR-GALAXY-280A-DALI 5000K ■	480	PR-GALAXY-560A 5000K ■
481	PR-GALAXY-560A-DALI 5000K ■	482	PR-GALAXY-280A 3000K ■
483	PR-GALAXY-280A-DALI 3000K ■	484	PR-GALAXY-560A 3000K ■
485	PR-GALAXY-560A-DALI 3000K ■		